

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSPTANXR1625

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS	1		Web Page for STN Seminar Schedule - N. America
NEWS	2	JAN 02	STN pricing information for 2008 now available
NEWS	3	JAN 16	CAS patent coverage enhanced to include exemplified prophetic substances
NEWS	4	JAN 28	USPATFULL, USPAT2, and USPATOLD enhanced with new custom IPC display formats
NEWS	5	JAN 28	MARPAT searching enhanced
NEWS	6	JAN 28	USGENE now provides USPTO sequence data within 3 days of publication
NEWS	7	JAN 28	TOXCENTER enhanced with reloaded MEDLINE segment
NEWS	8	JAN 28	MEDLINE and LMEDLINE reloaded with enhancements
NEWS	9	FEB 08	STN Express, Version 8.3, now available
NEWS	10	FEB 20	PCI now available as a replacement to DPCI
NEWS	11	FEB 25	IFIREF reloaded with enhancements
NEWS	12	FEB 25	IMSPRODUCT reloaded with enhancements
NEWS	13	FEB 29	WPINDEX/WPIDS/WPIX enhanced with ECLA and current U.S. National Patent Classification
NEWS	14	MAR 31	IFICDB, IFIPAT, and IFIUDB enhanced with new custom IPC display formats
NEWS	15	MAR 31	CAS REGISTRY enhanced with additional experimental spectra
NEWS	16	MAR 31	CA/CAPLUS and CASREACT patent number format for U.S. applications updated
NEWS	17	MAR 31	LPCI now available as a replacement to LDPCI
NEWS	18	MAR 31	EMBASE, EMBAL, and LEMBASE reloaded with enhancements
NEWS	19	APR 04	STN AnaVist, Version 1, to be discontinued
NEWS EXPRESS	FEBRUARY 08 CURRENT WINDOWS VERSION IS V8.3, AND CURRENT DISCOVER FILE IS DATED 20 FEBRUARY 2008		
NEWS HOURS	STN Operating Hours Plus Help Desk Availability		
NEWS LOGIN	Welcome Banner and News Items		
NEWS IPC8	For general information regarding STN implementation of IPC 8		

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 13:19:15 ON 04 APR 2008

```
=> file reg
COST IN U.S. DOLLARS                SINCE FILE      TOTAL
                                     ENTRY      SESSION
FULL ESTIMATED COST                0.21        0.21
```

FILE 'REGISTRY' ENTERED AT 13:19:25 ON 04 APR 2008
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
 provided by InfoChem.

```
STRUCTURE FILE UPDATES:    3 APR 2008  HIGHEST RN 1012038-13-9
DICTIONARY FILE UPDATES:  3 APR 2008  HIGHEST RN 1012038-13-9
```

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2008.

Please note that search-term pricing does apply when
 conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and
 predicted properties as well as tags indicating availability of
 experimental property data in the original document. For information
 on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

```
=> file casreact
COST IN U.S. DOLLARS                SINCE FILE      TOTAL
                                     ENTRY      SESSION
FULL ESTIMATED COST                0.46        0.67
```

FILE 'CASREACT' ENTERED AT 13:19:39 ON 04 APR 2008
 USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT
 COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is
 held by the publishers listed in the PUBLISHER (PB) field (available
 for records published or updated in Chemical Abstracts after December
 26, 1996), unless otherwise indicated in the original publications.

FILE CONTENT:1840 - 29 Mar 2008 VOL 148 ISS 14

New CAS Information Use Policies, enter HELP USAGETERMS for details.


```
*****
*                                     *
*      CASREACT now has more than 13.8 million reactions      *
*                                     *
*****
```

Some CASREACT records are derived from the ZIC/VINITI database (1974-1999)
 provided by InfoChem, INPI data prior to 1986, and Biotransformations
 database compiled under the direction of Professor Dr. Klaus Kieslich.

This file contains CAS Registry Numbers for easy and accurate substance
 identification.

=>

Uploading C:\Program Files\Stnexp\Queries\10579836a.str



```
chain nodes :
12 13 14 21 22
ring nodes :
1 2 3 4 5 6 7 8 9 10 11 16 17 18 19 20
chain bonds :
4-12 12-13 13-14 19-21 21-22
ring bonds :
1-2 1-6 2-3 3-4 4-5 5-6 5-7 6-9 7-8 8-11 9-10 10-11 16-17 16-20 17-18
18-19 19-20
exact/norm bonds :
4-12 12-13 13-14 16-17 17-18 19-21 21-22
exact bonds :
5-7 6-9 7-8 8-11 9-10 10-11 16-20 18-19 19-20
normalized bonds :
1-2 1-6 2-3 3-4 4-5 5-6
isolated ring systems :
containing 1 : 16 :
```

```
Match level :
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom
11:Atom 12:CLASS 13:CLASS 14:CLASS 16:Atom 17:Atom 18:Atom 19:Atom 20:Atom
21:CLASS 22:CLASS
fragments assigned product role:
containing 1
fragments assigned reactant/reagent role:
containing 16
```

L1 STRUCTURE UPLOADED

=> d 11

L1 HAS NO ANSWERS

L1 STR

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

Structure attributes must be viewed using STN Express query preparation.

=> s 11 full

FULL SEARCH INITIATED 13:20:08 FILE 'CASREACT'

SCREENING COMPLETE - 3 REACTIONS TO VERIFY FROM

1 DOCUMENTS

100.0% DONE 3 VERIFIED 2 HIT RXNS 1 DOCS
SEARCH TIME: 00.00.01

L2 1 SEA SSS FUL L1 (2 REACTIONS)

=> d ibib abs hitstr tot
'HITSTR' IS NOT A VALID FORMAT FOR FILE 'CASREACT'

The following are valid formats:

ABS ----- GI and AB
ALL ----- BIB, AB, IND, RE, Single-step Reactions
APPS ----- AI, PRAI
BIB ----- AN, plus Bibliographic Data
CAN ----- List of CA abstract numbers without answer numbers
CBIB ----- AN, plus Compressed Bibliographic Data
DALL ----- ALL, delimited (end of each field identified)
IABS ----- ABS, indented with text labels
IALL ----- ALL, indented with text labels
IBIB ----- BIB, indented with text labels
IND ----- Indexing data
IPC ----- International Patent Classifications
ISTD ----- STD, indented with text labels
OBIB ----- AN, plus Bibliographic Data (original)
OIBIB ----- OBIB, indented with text labels

SBIB ----- BIB, no citations
SIBIB ----- IBIB, no citations

MAX ----- Same as ALL
PATS ----- PI, SO
SCAN ----- TI and FCRD (random display, no answer number. SCAN
 must be entered on the same line as DISPLAY, e.g.,
 D SCAN.)
SSRX ----- Single-Step Reactions (Map, Diagram, and Summary for
 all single-step reactions)
STD ----- BIB, IPC, and NCL

CRD ----- Compact Display of All Hit Reactions
CRDREF ----- Compact Reaction Display and SO, PY for Reference
FHIT ----- Reaction Map, Diagram, and Summary for first
 hit reaction
FHITCBIB --- FHIT, AN plus CBIB
FCRD ----- First hit in Compact Reaction Display (CRD) format
FCRDREF ---- First hit in Compact Reaction Display (CRD) format with
 CA reference information (SO, PY). (Default)
FPATH ----- PATH, plus Reaction Summary for the "long path"
FSPATH ----- SPATH, plus Reaction Summary for the "short path"
HIT ----- Reaction Map, Reaction Diagram, and Reaction
 Summary for all hit reactions and fields containing
 hit terms
OCC ----- All hit fields and the number of occurrences of the
 hit terms in each field. Includes total number of
 HIT, PATH, SPATH reactions. Labels reactions that have
 incomplete verifications.
PATH ----- Reaction Map and Reaction Diagram for the "long
 path". Displays all hit reactions, except those
 whose steps are totally included within another hit
 reaction which is displayed
RX ----- Hit Reactions (Map, Diagram, Summary for all hit reactions)
RXG ----- Hit Reaction Graphics (Map and Diagram for all hit reactions)
RXL ----- Hit Reaction Long (Map, Diagram, Summary for all hit reactions)

RXS ----- Hit Reaction Summaries (Map and Summary for all hit reactions)
 SPATH ----- Reaction Map and Reaction Diagram for the "short path". Displays all single step reactions which contain a hit substance. Also displays those multistep reactions that have a hit substance in both the first and last steps of the reaction, except for those hit reactions whose steps are totally included within another hit reaction which is displayed

To display a particular field or fields, enter the display field codes. For a list of the display field codes, enter HELP DFIELDS at an arrow prompt (=>). Examples of combinations include: D TI; D BIB RX; D TI, AU, FCRD. The information is displayed in the same order as the specification. All of the formats, except CRD, CRDREF, FHIT, PATH, FPATH, SPATH, FSPATH, FCRD, FCRDREF, HIT, RX, RXG, RXS, SCAN, and OCC, may be used with the DISPLAY command to display the record for a specified Accession Number.

ENTER DISPLAY FORMAT (FCRDREF):kwic
 'KWIC' IS NOT A VALID FORMAT FOR FILE 'CASREACT'

The following are valid formats:

ABS ----- GI and AB
 ALL ----- BIB, AB, IND, RE, Single-step Reactions
 APPS ----- AI, PRAI
 BIB ----- AN, plus Bibliographic Data
 CAN ----- List of CA abstract numbers without answer numbers
 CBIB ----- AN, plus Compressed Bibliographic Data
 DALL ----- ALL, delimited (end of each field identified)
 IABS ----- ABS, indented with text labels
 IALL ----- ALL, indented with text labels
 IBIB ----- BIB, indented with text labels
 IND ----- Indexing data
 IPC ----- International Patent Classifications
 ISTD ----- STD, indented with text labels
 OBIB ----- AN, plus Bibliographic Data (original)
 OIBIB ----- OBIB, indented with text labels

 SBIB ----- BIB, no citations
 SIBIB ----- IBIB, no citations

 MAX ----- Same as ALL
 PATS ----- PI, SO
 SCAN ----- TI and FCRD (random display, no answer number. SCAN must be entered on the same line as DISPLAY, e.g., D SCAN.)
 SSRX ----- Single-Step Reactions (Map, Diagram, and Summary for all single-step reactions)
 STD ----- BIB, IPC, and NCL

 CRD ----- Compact Display of All Hit Reactions
 CRDREF ----- Compact Reaction Display and SO, PY for Reference
 FHIT ----- Reaction Map, Diagram, and Summary for first hit reaction
 FHITCBIB --- FHIT, AN plus CBIB
 FCRD ----- First hit in Compact Reaction Display (CRD) format
 FCRDREF ---- First hit in Compact Reaction Display (CRD) format with CA reference information (SO, PY). (Default)
 FPATH ----- PATH, plus Reaction Summary for the "long path"
 FSPATH ----- SPATH, plus Reaction Summary for the "short path"
 HIT ----- Reaction Map, Reaction Diagram, and Reaction

Summary for all hit reactions and fields containing hit terms

OCC ----- All hit fields and the number of occurrences of the hit terms in each field. Includes total number of HIT, PATH, SPATH reactions. Labels reactions that have incomplete verifications.

PATH ----- Reaction Map and Reaction Diagram for the "long path". Displays all hit reactions, except those whose steps are totally included within another hit reaction which is displayed

RX ----- Hit Reactions (Map, Diagram, Summary for all hit reactions)

RXG ----- Hit Reaction Graphics (Map and Diagram for all hit reactions)

RXL ----- Hit Reaction Long (Map, Diagram, Summary for all hit reactions)

RXS ----- Hit Reaction Summarizers (Map and Summary for all hit reactions)

SPATH ----- Reaction Map and Reaction Diagram for the "short path". Displays all single step reactions which contain a hit substance. Also displays those multistep reactions that have a hit substance in both the first and last steps of the reaction, except for those hit reactions whose steps are totally included within another hit reaction which is displayed

To display a particular field or fields, enter the display field codes. For a list of the display field codes, enter HELP DFIELDS at an arrow prompt (=>). Examples of combinations include: D TI; D BIB RX; D TI, AU, FCRD. The information is displayed in the same order as the specification. All of the formats, except CRD, CRDREF, FHIT, PATH, FPATH, SPATH, FSPATH, FCRD, FCRDREF, HIT, RX, RXG, RXS, SCAN, and OCC, may be used with the DISPLAY command to display the record for a specified Accession Number.

ENTER DISPLAY FORMAT (FCRDREF):kwic
'KWIC' IS NOT A VALID FORMAT FOR FILE 'CASREACT'

The following are valid formats:

ABS ----- GI and AB

ALL ----- BIB, AB, IND, RE, Single-step Reactions

APPS ----- AI, PRAI

BIB ----- AN, plus Bibliographic Data

CAN ----- List of CA abstract numbers without answer numbers

CBIB ----- AN, plus Compressed Bibliographic Data

DALL ----- ALL, delimited (end of each field identified)

IABS ----- ABS, indented with text labels

IALL ----- ALL, indented with text labels

IBIB ----- BIB, indented with text labels

IND ----- Indexing data

IPC ----- International Patent Classifications

ISTD ----- STD, indented with text labels

OBIB ----- AN, plus Bibliographic Data (original)

OIBIB ----- OBIB, indented with text labels

SBIB ----- BIB, no citations

SIBIB ----- IBIB, no citations

MAX ----- Same as ALL

PATS ----- PI, SO

SCAN ----- TI and FCRD (random display, no answer number. SCAN must be entered on the same line as DISPLAY, e.g., D SCAN.)

SSRX ----- Single-Step Reactions (Map, Diagram, and Summary for all single-step reactions)

STD ----- BIB, IPC, and NCL

CRD ----- Compact Display of All Hit Reactions

CRDREF ----- Compact Reaction Display and SO, PY for Reference

FHIT ----- Reaction Map, Diagram, and Summary for first
hit reaction

FHITCBIB --- FHIT, AN plus CBIB

FCRD ----- First hit in Compact Reaction Display (CRD) format

FCRDREF ----- First hit in Compact Reaction Display (CRD) format with
CA reference information (SO, PY). (Default)

FPATH ----- PATH, plus Reaction Summary for the "long path"

FSPATH ----- SPATH, plus Reaction Summary for the "short path"

HIT ----- Reaction Map, Reaction Diagram, and Reaction
Summary for all hit reactions and fields containing
hit terms

OCC ----- All hit fields and the number of occurrences of the
hit terms in each field. Includes total number of
HIT, PATH, SPATH reactions. Labels reactions that have
incomplete verifications.

PATH ----- Reaction Map and Reaction Diagram for the "long
path". Displays all hit reactions, except those
whose steps are totally included within another hit
reaction which is displayed

RX ----- Hit Reactions (Map, Diagram, Summary for all hit reactions)

RXG ----- Hit Reaction Graphics (Map and Diagram for all hit reactions)

RXL ----- Hit Reaction Long (Map, Diagram, Summary for all hit reactions)

RXS ----- Hit Reaction Summarizers (Map and Summary for all hit reactions)

SPATH ----- Reaction Map and Reaction Diagram for the "short
path". Displays all single step reactions which
contain a hit substance. Also displays those
multistep reactions that have a hit substance in both
the first and last steps of the reaction, except for
those hit reactions whose steps are totally included
within another hit reaction which is displayed

To display a particular field or fields, enter the display field
codes. For a list of the display field codes, enter HELP DFIELDS
at an arrow prompt (=>). Examples of combinations include: D TI;
D BIB RX; D TI, AU, FCRD. The information is displayed in the same order
as the specification. All of the formats, except CRD, CRDREF, FHIT, PATH,
FPATH, SPATH, FSPATH, FCRD, FCRDREF, HIT, RX, RXG, RXS, SCAN, and OCC, may
be used with the DISPLAY command to display the record for a specified
Accession Number.

ENTER DISPLAY FORMAT (FCRDREF):ibib

L2 ANSWER 1 OF 1 CASREACT COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 143:7535 CASREACT

TITLE: Manufacture of vitamin B6 and related
9-acyloxy-1,5-dihydro-8-methylpyrido[3,4-
e][1,3]dioxepins

INVENTOR(S): Fischesser, Jocelyn; Fritsch, Helmut; Gum, Andrew
George; Karge, Reinhard; Keuper, Ralf

PATENT ASSIGNEE(S): DSM IP Assets B. V., Neth.

SOURCE: PCT Int. Appl., 23 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005049618	A1	20050602	WO 2004-EP12655	20041109
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
EP 1685133	A1	20060802	EP 2004-818764	20041109
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK, IS			
CN 1882592	A	20061220	CN 2004-80034214	20041109
JP 2007511558	T	20070510	JP 2006-540247	20041109
US 20070072254	A1	20070329	US 2006-579836	20060608
PRIORITY APPLN. INFO.:			DE 2003-10353999	20031119
			WO 2004-EP12655	20041109
OTHER SOURCE(S):	MARPAT 143:7535			
REFERENCE COUNT:	4	THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT		

=> d ibib abs fhit

L2 ANSWER 1 OF 1 CASREACT COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 143:7535 CASREACT
TITLE: Manufacture of vitamin B6 and related
9-acyloxy-1,5-dihydro-8-methylpyrido[3,4-
e][1,3]dioxepins
INVENTOR(S): Fischesser, Jocelyn; Fritsch, Helmut; Gum, Andrew
George; Karge, Reinhard; Keuper, Ralf
PATENT ASSIGNEE(S): DSM IP Assets B. V., Neth.
SOURCE: PCT Int. Appl., 23 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:



PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005049618	A1	20050602	WO 2004-EP12655	20041109
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
EP 1685133	A1	20060802	EP 2004-818764	20041109
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK, IS			
CN 1882592	A	20061220	CN 2004-80034214	20041109
JP 2007511558	T	20070510	JP 2006-540247	20041109
US 20070072254	A1	20070329	US 2006-579836	20060608
PRIORITY APPLN. INFO.:			DE 2003-10353999	20031119
			WO 2004-EP12655	20041109
OTHER SOURCE(S):	MARPAT 143:7535			
GI				

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

AB A process for manufacturing a 3-un-, 3-mono- or 3,3-disubstituted 9-acyloxy-1,5-dihydro-8-methylpyrido[3,4-e] [1,3]dioxepin I [R2, R3 = H, C1-4-alkyl C2-4-alkenyl; R4 = C1-4-alkyl, C1-4-haloalkyl, Ph-(C1-4-alkyl), Ph; CR2R3 = C4-6-cycloalkylidene] and optionally for manufacturing pyridoxine involves performing an addition reaction between a 4-methyl-5-alkoxy-oxazole II [R1 = C1-4-alkyl] and a 2-un-, 2-mono- or 2,2-disubstituted 4,7-dihydro-1,3-dioxepin III in the substantial absence of a solvent and a catalyst to give a product mixture consisting essentially of the appropriate Diels-Alder adduct IV in a major proportion and the appropriate 3-un-, 3-mono- or 3,3-disubstituted 1,5-dihydro-8-methylpyrido[3,4-e][1,3]dioxepin-9-ol V in a minor proportion, removal of a substantial proportion of the unreacted oxazole and dioxepin starting materials from the product mixture by distillation under reduced pressure, addition of a substantially anhydrous organic acid to said product mixture and rearrangement of the Diels-Alder adduct IV to further V in the presence of said substantially anhydrous organic acid with removal of the generated alkanol by

distillation under reduced pressure, and acylation of the resultingly enriched quantity of V with an added carboxylic acid anhydride, (R4CO)2O to produce the desired I, and optionally converting this so-manufactured acylation product I to pyridoxine by acid hydrolysis for achieving deprotection and deacylation. Pyridoxine [VI] is a well known form of vitamin B6 with well established utility.

RX(5) OF 7 COMPOSED OF RX(1), RX(3)
 RX(5) 2 A + 2 B + F ==> G



RX(1) RCT A 5006-20-2, B 5417-35-6
 PRO C 5205-63-0, D 1622-67-9
 CON 4 hours, 155 deg C
 NTE neat; monitored by GC

RX(3) RCT D 1622-67-9

STAGE(1)
 CON 80 deg C, 1 atm

STAGE(2)
 RCT F 108-24-7
 CON SUBSTAGE(1) 5 minutes
 SUBSTAGE(2) 1 hour
 SUBSTAGE(3) 200 - 20 mbar

STAGE(3)
 SOL 25322-68-3 HOCH2CH2OH polymer
 CON SUBSTAGE(1) 120 deg C, 0.1 - 0.01 mbar
 SUBSTAGE(2) 80 - 145 deg C, 0.1 - 0.01 mbar

PRO G 92671-67-5
 NTE neat; monitored by GC; distn. last part second stage and all third stage

REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> log y

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

124.64

125.31

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE

TOTAL

ENTRY

SESSION

CA SUBSCRIBER PRICE

-0.75

-0.75

STN INTERNATIONAL LOGOFF AT 13:20:56 ON 04 APR 2008